

**In the claims:**

**Please amend claims 1, 14, and 22 as follows:**

1. (Currently Amended) A system for performing content management actions on  
~~providing access to~~ a plurality of disparate content repositories comprising:
  - a client application program interface (API) that is configured to generate a user request to access, search, update, display, and add to content and metadata properties in a plurality of content repositories having a plurality of proprietary program interfaces;
  - a plurality of bridges that translate the user request into a format understandable by the proprietary program interfaces of the plurality of content repositories; and
  - a view services component that processes and converts results content from the plurality of content repositories into a format that is supported by the viewing capabilities of said client API.
2. (Original) The system of claim 1 further comprising an access services component that relays the user request to access content and metadata properties in the plurality of content repositories from said client API to said plurality of bridges.
3. (Original) The system of claim 2 wherein said access services component maps metadata properties across the plurality of content repositories.

4. (Previously Presented) The system of claim 1 further comprising an exchange services server that enables import and export of non-XML content and metadata properties in the plurality of content repositories in an XML format.
5. (Original) The system of claim 1 wherein said client API is in a format selected from the group consisting of Java, component object model (COM), and web services.
6. (Original) The system of claim 1 wherein a single bridge corresponds with a single content repository.
7. (Original) The system of claim 1 wherein said view services component is an Enterprise Java Bean (EJB).
8. (Original) The system of claim 1 wherein each bridge is an Enterprise Java Bean (EJB) deployed in an application server.
9. (Original) The system of claim 1 further comprising a bridge factory that is configured to generate a new bridge to support each new content repository in the system.
10. (Original) The system of claim 1 wherein said view services component comprises at least one converter that converts results content into an Internet browser readable format.
11. (Original) The system of claim 1 wherein said view services component comprises at least one processor that processes results content by scaling, rotating, or enhancing an image.

12. (Original) The system of claim 1 wherein each bridge answers client requests via a mode selected from the group consisting of remote method invocation (RMI), Internet Inter-ORB Protocol (IIOP), and extensible markup language (XML) over hypertext transport protocol (HTTP).

13. (Original) The system of claim 1 wherein each bridge accesses its underlying content repository via a mode selected from the group consisting of Java, Component Object Model (COM), and Java Native Interface (JNI) application program interface (API) calls.

14. (Currently Amended) A method for performing content management actions on ~~providing access to~~ a plurality of disparate content repositories comprising the steps of:

enabling a user to generate a request in a client application program interface (API) to access, search, update, display, and add to content and metadata properties in a plurality of content repositories having a plurality of proprietary program interfaces;

translating, with a plurality of bridges, the user request into a format understandable by the proprietary program interfaces of the plurality of content repositories; and

processing and converting results content from the plurality of content repositories into a format that is supported by the viewing capabilities of the client API.

15. (Original) The method of claim 14 further comprising the step of relaying the user request to access content and metadata properties in the plurality of content repositories from the client API to the plurality of bridges.

16. (Original) The method claim 14 further comprising the step of mapping metadata properties across the plurality of content repositories.
17. (Previously Presented) The method of claim 14 further comprising the step of importing and exporting non-XML content and metadata properties in the plurality of content repositories in an XML format.
18. (Original) The method of claim 14 further comprising the step of corresponding a single bridge with a single content repository.
19. (Original) The method of claim 14 further comprising the step of generating a new bridge to support each new content repository in the system.
20. (Original) The method of claim 14 further comprising the step of converting results content into an Internet browser readable format.
21. (Original) The method of claim 14 further comprising the step of processing results content by scaling, rotating, or enhancing an image.
22. (Currently Amended) A computer readable media comprising software for performing content management actions on ~~providing access to~~ a plurality of disparate content repositories, the software being configured to instruct a computer to:

enable a user to generate a request in a client application program interface (API) to access, search, update, display, and add to content and metadata properties in a plurality of content repositories having a plurality of proprietary program interfaces;

translate, with a plurality of bridges, the user request into a format understandable by the proprietary program interfaces of the plurality of content repositories; and

process and convert results content from the plurality of content repositories into a format that is supported by the viewing capabilities of the client API.

23. (Original) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to relay the user request to access content and metadata properties in the plurality of content repositories from the client API to the plurality of bridges.

24. (Original) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to map metadata properties across the plurality of content repositories.

25. (Previously Presented) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to import and export non-XML content and metadata properties in the plurality of content repositories in an XML format.

26. (Original) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to correspond a single bridge with a single content repository.

27. (Original) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to generate a new bridge to support each new content repository in the system.

28. (Original) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to convert results content into an Internet browser readable format.

29. (Original) The computer readable media of claim 22 wherein the software is configured to further instruct a computer to process results content by scaling, rotating, or enhancing an image.